



圆筒型帽绣成衣绣系列
CYLINDER EMBROIDERY SERIES
—CT MODEL



CT1201

飞亚绣花机·绣出新世界
Feiya Embroidery Open A New World

圆筒型 CT MODEL

同家用轻型机相比，该系列机型结构稳重，性能稳定，可灵活配合生产编排，适合小单量生产，也可作打样机。

Compare to compact model machine, this series have the advantage of stronger structure and stable performance. It can cooperate manufacture neatly. It isn't merely suitable for small production, but also can acts as test press.

▲ 筒衣框 Garment Frame

可根据T恤，或其它成衣上的不同刺绣要求，提供各式各样的框架。

We can provide different sizes according to different T-shirt or different sizes according to different T-shirt or different embroidery requests of other read-made clothes.

▲ 帽框 Cap Frame

在帽子上刺绣的角度可达到270度。
The angle of embroidery on cap can reach to 270 degree.

▲ 平绣框 Flat embroidery Frame

适用于平绣。可绣作布片等半成品。
It is suitable for flat embroidery and can embroidery on sane semi-finished products such as cloth.

※ 新结构 New Structure

- | | |
|-----------|------------------------------|
| A:集中勾线 | A:Centralized hooking system |
| B:直线导轨 | B:Linear rail |
| C:剪刀外剪系统。 | C:outside-trimming system. |

A: 使勾线更合理，增加了稳定性及寿命。

取代以前的电磁铁勾线，大大的降低了噪音，勾线动作统一，性能提高。
Logical hooking system, improving the stability and working life.

This device replace solenoid system. reduce the noise, union activity, improve the quality and performance.

C: 外剪结构使线头杂物更少，提高了剪线系统的稳定性。

Outside-trimming system avoid the rubbish and improve the stability system.

B: 4头以上机器全部采用直线导轨驱动，使针迹更精确更稳定。增加了驱动的寿命。

Using linear rail install our machine to that above 4 heads machine, it make the active stitches stable and accurate, consumedly lasting the drive's working life.



CT902



(B)

优越性:

- 底座安装了大轮子，方便机器移动。
- 机器外观整洁，结构紧凑。
- 机械的合理设计使整机工作噪音降到最低。

Advantage:

- It is easy to move, there are big wheels installed at the bottom of machine.
- Neatness appearance, compact structure, reasonable mechanic.
- Innovation decrease to the lowest noise.



CT1204

选购件 Option:

▲ 金片绣装置
Sequin device



▲ 绕线装置
Cording device



▲ 穿孔装置
Boring device



当您订购机器时：根据需求可以有不同的组合。

When you order machine: We will make combination function as your requests.

主电机有日本伺服电机、变频电机、飞亚伺服电机三种。

Main motor: Japanese servo motor, Transducer motor, Felye servo motor.

电脑型号配置: 58, 28, 18.

Computer model: 58, 28, 18.




58型号 5"彩色显示屏, 简易型,
适合1头2头机器
58Model 5" color monitor,
compact model for 1 or 2 head machine



28型号 5"彩色液晶显示,
经济型
28Model 5" color monitor,
economic model



18型号 10"彩色液晶显示, 功能
全面, 豪华型
18Model 10" color monitor, complete
function, luxurious model



CT1208



CT1212 加金片 (with sequin)

▲ 外加金片装置, 电机升降, 不再需要空气压缩机的配合, 没有噪音, 方便操作。
Additional sequin device, lift up and down by motor, no noise and easy-to-operator.

▲ 所有的型号机器都可附加金片绣装置
All of CT model machine can attach the sequin device.



技术参数:

自动剪线
自动换色, 自动启动
断线自动报警
多语种友好操作界面
机器最高转速850RPM

Tech-parameter:

Automatic trimming
Automatic color changing and start up
Automatic thread breakage detecting
Multi-language operating interface
Maximum speed 850RPM



主要配件: 成衣绣框90, 120, 150, 180, 300×300
帽架驱动 帽架 帽架固定座 平绣铝框

Main Accessories: Garment frame (size 90, 120, 150, 180, 300×300mm)
Cap frame driver, Cap frame, Cap frame holder,
Border aluminum frame.

基本数据 SPECIFICATION

针迹范围 STITCH LENGTH	0.1~12.7MM	最高储存针数 MEMORY CAPACITY	1000, 000STITCHES
刺绣速度 SPEED	250~850RPM	使用电源 POWER SOURCE	三相 3-PHASE~380V(50HZ/60HZ) 单相 SINGLE-PHASE 110V/220V(50HZ/60HZ)

筒式系列 CYLINDER TYPE SERIES

型号 MODEL	头数 HEAD	针数 NEEDLE	头距 HEAD INTERVAL	刺绣面积 EMB.SPACE(L×W)	机器尺寸 MACHINE SIZE (L×W×H)
CT-901	1	9	400	400×450	1000×800×1.4
CT-902	2	9	400	400×450	1520×870×1.4
CT-904	4	9	400	400×450	2640×920×1.4
CT-906	6	9	400	400×450	3430×920×1.4
CT-908	8	9	400	400×450	4230×920×1.4
CT-910	10	9	400	400×450	6120×1400×1.4
CT-912	12	9	400	400×450	6920×1400×1.4

- * 上面所有型号都可以做12针, 另特殊规格还可联系公司 (比如500头距等, 刺绣面积同时也增大)
- * All the above models can be made to 12 needles, for more special details, please contact us (for example, head interval for 500mm)
- * 机器颜色两种供选 (绿色和白色)
- * Machine color option: white and green

- * **包装: 标准包装**
- * **Package: standard package**

尺寸同右上方表格的机器尺寸
Dimension as above machine size

木箱包装
包装后尺寸:
长=原机器长+25厘米
宽=原机器宽+25厘米
高=原机器高+40厘米

Wooden package
Wooden dimension:
length=machine length+25cm
width=machine width+25cm
height=machine height+40cm



**DISTRIBUTEUR
DISTRIBUTOR**

M.T.M. INC.

MACHINE À COUDRE INDUSTRIELLES
INDUSTRIAL SEWING MACHINES

www.mtminnovation.com

TÉL.: 514.998.1277
FAX: 514.998.1282

FEIYA